

HANSAMIX
WASHBASIN FAUCET
01192183
EAN: 4015474271210



- Bathroom
- Single-lever
- Chrome
- Swivel spout
- PCA® - constant flow rate regardless of pressure variations
- Brass
- Hot/Cold symbols, Single operating lever/handle
- Pop-up waste with draw-rod
- Limitation option for maximum temperature and flow-rate, Adjustable hot water stop (retrofitable)
- ø 48 mm ceramic eco cartridge for flow and temperature control
- Copper inlet pipes
- Inner body made of DZR brass

Technical data

Flow properties

Eco-flow at 3 bar
 Flow-rate at 3 bar (with flow controller)

4.2 l/min
7.8 l/min

Technical properties

DN-size (nominal dimension)
 Hot water supply
 Working pressure
 Connection size

DN15
max. +90°C
0.5-10 bar
Ø10

Regulations


EN standard



EN 817

Type approvals


DVGW
 KIWA

NW-6506BU0493
K6116/06





Spare parts



SP01192183

	Name	Code
1	Lever, L=93 mm	01880083
1	Lever, 138 mm	01880076
1.1	Screw, M5x8, SW2,5	59904755
1.2	Bushing	59904778
1.3	Symbol plug Grey	59912112
2	Covering cap	59912647
3	Fixing screw, M50x1, SW45	59904890
4	Cartridge, 4.8 Eco	59904601
4.1	Adjustment ring	59904759
5.1	Pop-up operating rod	59914050
5.10	Fixing screw, M8x1, L=140	59912474
5.11	Gasket, 40,3 x 6,0	59911387
5.12	O-ring, d 7,65 x d 1,78	59902337
5.2	Swivel joint	59904624
5.4	Raising socket	59914051
5.5	Fixing plate	59904765
5.6	Screw, M8x1, SW13	59904766
5.7	Fixing set	59910749
5.8	Coupling pipe, L=430, M10x1	59912550
5.9	Sealing kit	59912646
6	Aerator, M24x1 (2011-)	59913739
7	Pop-up waste	59904620
8	Spout	59914052