



EAN: 4057304005022
static.hansa.com/05682019



- Health & Care
- Touchless, Battery-operated, Bluetooth®
- Deck mounted
- Chrome
- Fixed spout, Casted construction
- Laminar stream
- Litter filter(s), Non-return valve(s)
- Autofocus infrared sensor, Solenoid valve, Low battery indicator
- Flexible inlet pipes, One inlet for cold or premixed water, Special coating for hygienic premises
- Inner body made of DZR brass, Surfaces in contact with drinking water contain less than 0.3% lead, Waterways without nickel coating, Thermal disinfection proof for short durations, Software settings adjustable via App
- Without pop-up waste, Without draw-rod opening



Technical data

Flow properties

Flow-rate at 3 bar (with flow controller)

6.0 l/min

Technical properties

DN-size (nominal dimension)

DN15

Hot water supply

max. +70°C

Working pressure

1-10 bar

Connection size

G3/8

Projection

136 mm

Backflow prevention (EN1717)

AA

Material

Brass

Software settings

Afterflow period

3 s (1-20 s)

Automatic flush

off (off/1-120 h)

Automatic flush period

30 s (1-1800 s)

Max. flow period

2 min (1 - 1800 s)

Electronic properties

Battery

Lithium 2CR5 6 V

Bluetooth version

4.x (D034445)

Regulations

EU Directives

C € Radio Equipment Directive 2014/53/EU , Low Voltage Directive 2014/35/EU , EMC Directive 2014/30/EU , RoHS Directive 2011/65/EU

EN standard

EN 15091, ETSI EN 301 489-1 V1.9.2 , ETSI EN 300 328 v2.2.2 , EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011+AC:2012 , EN 60335-1:2012+A11+A13+A1+A14+A2+A15:2021, Part 19.11.4

Noise class

I (ISO 3822)


Protection class

IP 55


Approvals and Declarations

UN38.3

UN38-3 Maxell 2CR5



Spare parts



SP05682019

	Name	Code
01	Aerator, M24x1 STD HC, 6 l/min Laminar	59914068
02	Sensor, 6/9/12 V, Bluetooth	59914567
03	Solenoid valve, 6 V	59914091
04	Membrane for solenoid valve	1006500V
04	Membrane support ring Discontinued	59914090
05	Temperature regulator	59914089
06	Fixing plates with nuts	59914132
07	Battery casing	59914154
08	Battery, 2CR5 6 V	59911670
09	Non-return valve	59914569
10	Litter filters	59914085