
07742201 ALESSI Sense by HANSA - Washbasin faucet, 6 V


Discontinued


EAN: 4015470030415
static.hansa.com/07742201



- Washbasin
- Tiptronic, Battery-operated, Bidetta
- Deck mounted
- Chrome/White
- Fixed spout
- Adjustable flow angle, Hidden aerator
- Temperature control handle
- Push pop-up waste without draw-rod
- Hand shower, Shower holder, Shower hose (1500 mm)
- Remote-operated Smart Bidetta
- Mixing valve for manual temperature control, Thermostatic cartridge for automatic temperature control
- Low battery indicator, Light indicated function(s), External control unit
- Flexible inlet pipes
- Software settings adjustable via magnetic key, Waterways without nickel coating







© 2024 Hansa Armaturen GmbH - www.hansa.com - 22.09.2023

Technical data

Flow properties

Flow-rate at 3 bar (with flow controller)	**4.2 l/min**

Technical properties

DN-size (nominal dimension)	**DN15**
Hot water supply	**max. +70°C**
Working pressure	**1-10 bar**
Connection size	**G3/8**
Projection	**118 mm**

Software settings

Automatic flush	**off (off/12/24/48/72 h)**
Automatic flush period	**30 s (10-600 s)**
Max. flow period	**6 s (4 s-60 s) / 60 s (30 s -600 s)**

Electronic properties

Battery	**Lithium 2CR5 6 V, AA 1.5 V Lithium x 2, CR 2450 3 V**


Regulations


EU Directives	**CE EMC Directive 2014/30/EU , RoHS Directive 2011/65/EU**
EN standard	**EN 1113, EN 15091, ETSI EN 301 489-1 V1.9.2 , ETSI EN 300 328 v2.2.2 , EN 61000-6-1:2007 , EN 61000-6-3:2007+A1:2011+AC:2012 , EN 60335-1:2012+A11+A13+A1+A14+A2+A15:2021, Part 19.11.4**
Noise class	**I (ISO 3822)**
Protection class	**IP 44**

Approvals and Declarations


UN38.3	**UN38-3 Panasonic CR2450**

reddot award 2016
winner





Spare parts



SP07742201

	Name	Code
01	Solenoid valve complete	59914439
02	Cover	59914440
03	Temperature control handle	59914441
04	Temperature regulator	59914442
05	Aerator and key, M21.5x1 HC B	59914443
06	Fixing nut kit Discontinued	59914444
07	Battery casing, 2CR5 6 V	59914088
08	Battery, 2CR5 6 V	59911670
09	Nipple Discontinued	59914133
10	Temperature control handle	59914134
11	Thermostatic cartridge, 3.4	59914114
12	O-ring kit	59914113
13	Solenoid valve complete, 3 V	59914125
14	Membrane for solenoid valve	1006500V
14	Membrane Discontinued	59914126
15	Control unit, 3 V Discontinued	59914135
16	Ejector Discontinued	59914251
17	Battery, CR2450 3 V Lithium	59914137
18	Rapid pop-up waste	59913988
19	Battery, 1.5 V AA Lithium	59914136
20	Update kit, -08/19	59914772

© 2024 Hansa Armaturen GmbH - www.hansa.com - 22.09.2023