



EAN: 4057304002496
static.hansa.com/44780133



- Shower solutions
- Wall mounted
- Chrome

- Hand shower, Shower rail, Adjustable shower rail bracket, Soap dish, Shower hose (1750 mm), Anti limescale technology (easy to clean)
- Normal - Even and soft water stream, Refreshing - Strong water stream, activates and refreshes body, Relaxing - Soft water stream, pleasant for entire body
- 3 spray functions



Technical data

Flow properties

Eco-flow at 3 bar	9.0 l/min
Flow-rate at 3 bar	18.0 l/min
Flow-rate at 3 bar (with flow controller)	15.0 l/min

Technical properties

DN-size (nominal dimension)	DN15
Hot water supply	max. +65°C
Working pressure	0.5-5 bar
Connection size	G1/2
Diameter	18 mm
Length / Height	720 mm
Material	Composite

Regulations


EN standard	EN 1112, EN 1113
-------------	------------------

Approvals and Declarations


EPD	S-P-06395
-----	-----------

Sustainability

EPD module A1 (kg CO2 eq.)	4,97
EPD module A2 (kg CO2 eq.)	0,24
EPD module A3 (kg CO2 eq.)	0,57
EPD module A1-A3 (kg CO2 eq.)	5,80
EPD module A4 (kg CO2 eq.)	0,25
EPD module B7 (kg CO2 eq.)	1582,50
EPD module C2 (kg CO2 eq.)	0,01
EPD module C3 (kg CO2 eq.)	0,00
EPD module C4 (kg CO2 eq.)	1,55
EPD module D (kg CO2 eq.)	-0,64



Spare parts



SP44780113

	Name	Code
01	Slide for shower rail	59914392
02	Wall support	59914394