
53010300 HANSACOMPACT - Body for bath and shower faucet


EAN: 4057304007194
static.hansa.com/53010300



- Bathtub & Shower
- Concealed unit
- Tiled rim assembly
- Chrome
- Turn operated diverter

- Limitation option for maximum temperature and flow-rate, Adjustable hot water stop (included, retrofittable)
- ø 40 mm ceramic cartridge for flow and temperature control
- Flexible inlet pipes
- Soft edge rosette, ROLLBOX with automatic hose wind
- tiled rim assembly





Technical data

Technical properties


DN-size (nominal dimension)	**DN20**
Hot water supply	**max. +70°C**
Working pressure	**0.5-10 bar**
Connection size	**G3/4**
Backflow prevention (EN1717)	**EB**
Material	**Brass**

Regulations

EN standard	**EN 817**

© 2024 Hansa Armaturen GmbH - www.hansa.com - 15.02.2024

Spare parts



SP53010300

	Name	Code
01	Cartridge, 4.0 Classic	59914129
02	Tightening nut, M42x1,5, SW 38	59914128
03	Cover plate	59912368
04	Body	59912364
05	Installation kit	59912359
06	Pipe, G3/4 Discontinued	59912366
07	Retaining ring, 23.9x15.2x2	59902689
08	Hose, G3/4xG1/2, L=650	59912693
09	Diverter	59914183
10	Spindle	1003510V
11	Screw sleeve, M36x1.5, SW30	59914696
12	Pipe, G3/4 Discontinued	59912367
13	Connector	59912351
14	Disk	59912337
15	Flexible pipe, L=1000, G3/4xG3/4	59912246
16	Connector	59910573
N.I.	Roll box for hose	53060200
N.I.	Raising kit, 30 mm	59914626
N.I.	Raising kit, 30 mm	59914627


© 2024 Hansa Armaturen GmbH - www.hansa.com - 15.02.2024


53020300 HANSACOMPACT - Body for bath and shower faucet

EAN: 4057304007163
static.hansa.com/53020300



- Bathtub & Shower
- Concealed unit
- Tiled rim assembly
- Turn operated diverter
- Limitation option for maximum temperature and flow-rate, Adjustable hot water stop (included, retrofittable)
- ø 40 mm ceramic cartridge for flow and temperature control
- Flexible inlet pipes
- ROLLBOX with automatic hose wind
- protected against back-flow in domestic use (according to DIN EN 1717)





Technical data

Technical properties


DN-size (nominal dimension)	**DN20**
Hot water supply	**max. +70°C**
Working pressure	**0.5-10 bar**
Connection size	**G3/4**
Backflow prevention (EN1717)	**EB**
Material	**Brass**

Regulations

EN standard	**EN 817**

© 2024 Hansa Armaturen GmbH - www.hansa.com - 15.02.2024

Spare parts



SP53020300

	Name	Code
01	Cartridge, 4.0 Classic	59914129
02	Tightening nut, M42x1,5, SW 38	59914128
03	Cover plate	59912361
04	Body	59912364
05	Installation kit	59912359
06	Coupling pipe, G3/4 Discontinued	59912363
07	Retaining ring, 23.9x15.2x2	59902689
08	Hose, G3/4xG1/2, L=650	59912693
09	Diverter	59914183
10	Spindle	1003510V
11	Screw sleeve, M36x1.5, SW30	59914696
12	Adapter body	59912362
13	Connector	59912351
14	Disk	59912337
15	Flexible pipe, L=1000, G3/4xG3/4	59912246
16	Connector	59910573
N.I.	Roll box for hose	53060200
N.I.	Raising kit, 30 mm	59914626
N.I.	Raising kit, 30 mm	59914627

© 2024 Hansa Armaturen GmbH - www.hansa.com - 15.02.2024