



EAN: 4015474064973
static.hansa.com/5609210178



- Washbasin
- Single-lever
- Deck mounted
- Chrome
- Fixed spout
- Pin shape, Single operating lever/handle, Hot/Cold symbols, Flow control handle
- Pop-up waste with draw-rod
- Mixing valve for manual temperature control, Litter filter(s)
- Flexible inlet pipes
- Inner body made of DZR brass
- Torrent water flow, safety glass, Hansapermatec coated



Technical data

Flow properties

Flow-rate at 3 bar (with flow reducers)	12.0 l/min
Pressure loss with flow (0.2 l/s)	0.75 bar

Technical properties

DN-size (nominal dimension)	DN15
Hot water supply	max. +70°C
Working pressure	1-10 bar
Connection size	G3/8
Projection	164 mm
Material	Brass

Regulations

EN standard	EN 817
-------------	--------


DESIGN PLUS

 product design award 2004


 reddot design award winner 2003

 Design Center Stuttgart





Spare parts



SP5609210178

	Name	Code
2	Glass bowl, d 190 mm Transparent	59912517
2	Glass bowl, d 190 mm Satin Discontinued	59912518
2	Glass bowl, d 160 mm Transparent Discontinued	59912519
2	Glass bowl, d 160 mm Satin Discontinued	59912520
2.1	Fixing set, M30x1	59912521
2.2	Membrane Discontinued	59912522
2.3	Eye screw, M30x1, AF45	59912523
2.4	Decorative ring	59912524
2.5	O-ring, d 42x1.5	59912531
3	Fixing nut, M55x1, AF45	59912525
3.1	Ring	59912526
3.2	O-ring kit	59912546
4	Cartridge, 4.8 Murano	59912387
5.1	Pop-up operating rod	59912527
5.2	Swivel joint	59904624
5.3	Gasket, 37x48x3.5	59911422
5.5	Fixing plate	59904765
5.6	Screw, M8x1, SW13	59904766
5.7	Fixing set	59910749
5.8	Flexible pipe, L=500, G3/8-M10x1	59911767
5.9	O-ring, d 6.75x1.78	59902351
5.11	Litter filter	59911684
7	Pop-up waste	59911441
N.I.	Coupling pipe, L=430, M10x1	59912550
N.I.	Socket wrench, SW36	59913900