

57092201 HANSASTELA - Washbasin faucet Discontinued

EAN: 4015474139718
static.hansa.com/57092201



- Washbasin
- Single-lever
- Deck mounted
- Chrome
- Fixed spout
- Laminar stream
- Pin shape, Single operating lever/handle, Hot/Cold symbols
- Pop-up waste with draw-rod
- ø 35 mm ceramic cartridge for flow and temperature control
- Flexible inlet pipes
- Inner body made of DZR brass, Rapid installation system
- Torrent water flow, with Joystick-cartridge





© 2024 Hansa Armaturen GmbH - www.hansa.com - 18.01.2024

Technical data

Flow properties

Flow-rate at 3 bar (with flow controller)	**6.0 l/min**
Pressure loss with flow (0.1 l/s)	**2 bar**

Technical properties

DN-size (nominal dimension)	**DN15**
Hot water supply	**max. +70°C**
Working pressure	**1-10 bar**
Connection size	**G3/8**
Projection	**111 mm**
Backflow prevention (EN1717)	**AA**
Material	**Brass**


Regulations

EN standard	**EN 817**
Noise class	**I (ISO 3822)**


Approvals and Declarations

ABP	**P-IX 29675/IO**

GOOD DESIGN



Spare parts



SP57092201

	Name	Code
1	Lever	59913090
1.1	Spring clip	59913091
2	Decorative ring	59913088
2.1	O-ring, d 40x2	59911507
3	Fixing screw, M44x1 AF34	59913089
3.1	Socket wrench, SW34	59913092
3.2	Spacer ring	59913096
4	Cartridge, 3.5 Joystick	59913051
4.1	Spacer sleeve	59913093
4.4	O-ring, d 10.10x1.60 Discontinued	59905072
4.5	O-ring, d 28.24x2.62 Discontinued	59912590
5.1	Pop-up operating rod	59912527
5.2	Swivel joint	59904624
5.3	Gasket, 43x37x3	59912506
5.5	Fixing plate	59904765
5.6	Screw, M8x1, SW13	59904766
5.7	Fixing set	59910749
5.8	Flexible pipe, L=430, G3/8-M10x1	59912515
5.9	O-ring, d 7.65x1.78	59902337
5.10	O-ring, d 32x2	59912803
5.12	Fixing screw, M8x1, L=140	59912474
5.13	Litter filter	59911684
5.14	Flow limiter, 8L/min	59913095
6	Aerator and key, 6 l/min	59913094
7	Pop-up waste	59904620
N.I.	Key for aerator	59913757

© 2024 Hansa Armaturen GmbH - www.hansa.com - 18.01.2024